## **EDGE FINDING**

## StudSensor™ EDGE





Find Stud Edges



Find Wood or Metal Studs

## Stud Finder with SpotLite® Pointing System and a Revolutionary New Shape

The maker of the original StudSensor<sup>™</sup> is now taking stud finding to the next generation. First in a new line of product overhauls, the StudSensor<sup>™</sup> EDGE is a complete redesign of Zircon's most popular tool.

Its new patented pinch grip design features a body molded specifically to fit comfortably in the palm of your hand. The end result is a secure hold in either hand at any angle providing a new level of ease, comfort, and utility to the user. The EDGE also features a user-friendly interface and improved SpotLite<sup>®</sup> Pointing System which shines a bright arrow-shaped beam on the wall to clearly identify the edge of the target.

The bevy of improvements and the revolutionary new design make it our best entry-level stud finder yet.

- Locates the **edges of wood or metal studs** up to 19 mm deep
- New "Ready" light indicates when calibration has completed successfully
- New "Edge" light indicates when the tool is over a stud edge
- Updated **SpotLite**<sup>®</sup> **Pointer** shines an arrowshaped light on the wall to mark the target
- Should scanning begin over a stud, Zircon's patented "over-the-stud" indicator alerts the user to start the scan in a new location
- New **ergonomic design** can be comfortably held in either hand at any angle



## SPECIFICATIONS

Dimensions	136 mm H x 55 mm W x 34 mm D
Weight	57 g without battery
Battery Type	9V alkaline, required
Position Accuracy*	Wood studs: Typically within 3 mm using the dual scan and mark procedure Metal studs: Typically within 13 mm using the dual scan and mark procedure
Depth*	Typically up to 19 mm
Operating Temperature	-7° to 41°C
Storage Temperature	-29° to 66°C
Humidity	5-90% RH (non-condensing)
Water Resistance	Splash and water resistant, not waterproof
*NOTE: Sensing depth and accuracy can vary due to moisture,	

\*NOTE: Sensing depth and accuracy can vary due to moisture, content of materials, wall texture, paint, etc. Not recommended for use on lath and plaster. Indoor use only.

